



中国认可  
国际互认  
检测  
TESTING  
CNAS L5399

# 检 测 报 告

## TEST REPORT

报告编号：

RB5091-223357

Report No.

签发日期：

2022-12-2

Date of Issue

送样单位：

江苏华创信诺医药科技有限公司  
Jiangsu Huachuang Xinnuo Pharmaceutical Technology Co., Ltd

Submitted By

委托单位：

江苏华创信诺医药科技有限公司  
Jiangsu Huachuang Xinnuo Pharmaceutical Technology Co., Ltd

Requested By

委托地址：

泰州市医药高新区泽兰路 2 号  
No.2, Zelan Road, pharmaceutical high tech Zone, Taizhou City

Address

**苏州西山生物技术有限公司**

SUZHOU XISHAN BIOTECHNOLOGY INC. (VRL-ASIA)

# 声 明

## STATEMENT

1. 本检测全部在本公司实验室完成。  
All the tests were performed in this laboratory.
2. 本报告仅对客户所送检样本有效，不能完全反映动物健康状况。  
Test results shown in this report only reflect the status of the specimens at the time received by our lab, and not guarantee or imply the health status of the animals.
3. 本检测报告一式两份，未加盖本公司印章和批准人签名则无效。  
Each testing report is in duplicate. It is invalid without an official stamp and authorized signatures.
4. 本报告由 VRL 实验室系统形成，其真伪性可致电苏州西山生物技术有限公司(VRL-Asia) 查询。  
Our reports were generated by VRL lab information system. The Authenticity of the report can be verified by phonecall or e-mail to VRL Asia.
5. 对此检测报告有任何争议，请在 30 天内与我们联系。  
If you have any dispute to this testing report, please contact us within 30 days.
6. 未经本公司书面许可，委托方不得部分复制本报告、不得擅自使用此检测结果进行不当宣传。  
Without our written permission, This report cannot be partly copied, and the test requesting facilities should not use our testing results for improper propaganda.
7. 若此报告被误发到贵处，请及时致电 0512 6298 5955 或发邮件到 [vrchina@vrl.net](mailto:vrchina@vrl.net) 通知我们。  
If you have received this report by mistake, please call us at: 0512 6298 5955(China) or E-mail us at [vrchina@vrl.net](mailto:vrchina@vrl.net).
8. 本检测报告中所涉及的检品名称、种属/品系、动物等级、样本号的信息均为委托方提供，本公司不负责调查确认这些信息的真实性。  
The information of samples in this test report, including "Specimen Name", "Species/Strain", "Animal Grade" and "Specimen I.D.", was provided by the test requesting facilities. Our company is not responsible to investigate or confirm the authenticity of these information."
9. 联络方式：苏州工业园区东长路 18 号中节能产业园 35 幢 215123  
18 Dongchang Road, Building 35, SIP, Suzhou city, China  
Tel: 0512-6298 6955 / 6298 1611 Fax: 0512-6298 5677.
10. 根据《检验检测机构资质认定管理办法》规则：报告中的数据结果供科研、教学、企业内部质量控制、企业产品研发等目的使用。  
According to the rules of «Administrative Measure for the Qualification Accreditation of Inspection and Testing Institutions»: The data results in this report are used for the purpose of scientific research, teaching, corporate internal quality control, enterprise's product research and development, etc.

# 检测汇总

## SUMMARY

样品信息: Specimen Info	活体动物 Live Animal(s)	接样日期: Date Received	2022-11-23
动物信息: Animal Info	小鼠/SPF 级/哨兵鼠 Mouse (Mus musculus)/SPF/Sentinel Mouse	检测日期: Date Tested	2022-11-23~2022-12-2
样本状态: Specimen Status	精神状态良好, 姿势和步态无明显异常, 被毛整齐且无外伤, 天然孔颜色正常且无异常分泌物, 解剖无明显异常 Good mental state; No obvious abnormality of posture and gait; Neat hair and no injury; Natural orifices with normal colour and without abnormal secretion; No obvious abnormality in anatomy.		

No.	检测项目 TEST ITEM	检测依据 TEST BASIS	检测数量 TESTED	结果 RESULTS			
				POS(+)	IND(±)	NEG(-)	PEN(? )
1	小鼠细小病毒 (MPV) (MPV)	PCR SOP 01-04-171A0	6	0	0	6	0
2	*小鼠诺如病毒(MNV)	PCR SOP 01-04-171A0	6	0	0	6	0
3	*小鼠多瘤病毒 II 型 (K 病毒) (MPV / KV)	PCR SOP 01-04-171A0	6	0	0	6	0
4	*螺杆菌(HELI)	PCR SOP 01-04-036B0	6	0	0	6	0
5	*牛棒状杆菌(CBOV)	CM T/CALAS 20-2017 7.2	6	0	0	6	0
6	*牛棒状杆菌(CBOV)	PCR SOP 01-04-130A1	6	0	0	6	0
7	鼠痘病毒抗体(ECTV Ab)	ELISA-IgG GB/T 14926.20-2001 5.1	6	0	0	6	0
8	小鼠肝炎病毒抗体(MHV Ab)	ELISA-IgG GB/T 14926.22-2001 5.1	6	0	0	6	0
9	仙台病毒抗体(SV Ab)	ELISA-IgG GB/T 14926.23-2001 5.1	6	0	0	6	0
10	呼肠孤病毒III型抗体 (Reo-3 Ab)	ELISA-IgG GB/T 14926.25-2001 5.1	6	0	0	6	0
11	小鼠肺炎病毒抗体(PVM Ab)	ELISA-IgG GB/T 14926.24-2001 5.1	6	0	0	6	0
12	小鼠细小病毒 (MVM 株) 抗体(MVM Ab)	ELISA-IgG GB/T 14926.28-2001 5.1	6	0	0	6	0

No.	检测项目		检测依据	检测数量	结果 RESULTS			
	TEST ITEM				TESTED	POS(+)	IND(±)	NEG(-)
13	沙门菌(SALM)	CM	GB/T 14926.1-2001	6	0	0	6	0
14	泰泽病原体抗体(CPIL Ab)	ELISA-IgG	GB/T 14926.10-2008 6.1	6	0	0	6	0
15	支原体抗体(MYCO Ab)	ELISA-IgG	GB/T 14926.8-2001 6.2	6	0	0	6	0
16	鼠棒状杆菌(CKUT)	CM	GB/T 14926.9-2001	6	0	0	6	0
17	嗜肺巴斯德杆菌(PPNE)	CM	GB/T 14926.12-2001	6	0	0	6	0
18	肺炎克雷伯杆菌(KPNE)	CM	GB/T 14926.13-2001	6	0	0	6	0
19	金黄色葡萄球菌(SAUR)	CM	GB/T 14926.14-2001	6	0	0	6	0
20	绿脓杆菌(PAER)	CM	GB/T 14926.17-2001	6	0	0	6	0
21	体外寄生虫(ECTO)	MT	GB/T 18448.1-2001	6	0	0	6	0
22	弓形虫抗体(TOXO Ab)	ELISA-IgG	GB/T 18448.2-2008 4.2	6	0	0	6	0
23	全部蠕虫(HELM)	MT	GB/T 18448.6-2001	6	0	0	6	0
24	鞭毛虫(FLAG)	MT	GB/T 18448.10-2001 3.1	6	0	0	6	0
25	纤毛虫(CILI)	MT	GB/T 18448.10-2001 3.1	6	0	0	6	0

批 准  
Approver:

王晨娟

日期  
Date:

2022-12-2

# 检测结果

## RESULTS

VRL 编号 Accession No	动物号 (样本号) ID	检测项目 Test Item/结果 Results					
		MPV	*MNV	*MPtV / KV	*HELI	*CBOV	*CBOV (DNA)
22153638	1	—	—	—	—	—	—
22153639	2	—	—	—	—	—	—
22153640	3	—	—	—	—	—	—
22153641	4	—	—	—	—	—	—
22153642	5	—	—	—	—	—	—
22153643	6	—	—	—	—	—	—

VRL 编号 Accession No	动物号 (样本号) ID	检测项目 Test Item/结果 Results					
		ECTV Ab	MHV Ab	SV Ab	Reo-3 Ab	PVM Ab	MVM Ab
22153638	1	—	—	—	—	—	—
22153639	2	—	—	—	—	—	—
22153640	3	—	—	—	—	—	—
22153641	4	—	—	—	—	—	—
22153642	5	—	—	—	—	—	—
22153643	6	—	—	—	—	—	—

VRL 编号 Accession No	动物号 (样本号) ID	检测项目 Test Item/结果 Results					
		SALM	CPIL Ab	MYCO Ab	CKUT	PPNE	KPNE
22153638	1	—	—	—	—	—	—
22153639	2	—	—	—	—	—	—
22153640	3	—	—	—	—	—	—
22153641	4	—	—	—	—	—	—
22153642	5	—	—	—	—	—	—
22153643	6	—	—	—	—	—	—

VRL 编号 Accession No	动物号 (样本号) ID	检测项目 Test Item/结果 Results					
		SAUR	PAER	ECTO	TOXO Ab	HELM	FLAG
22153638	1	—	—	—	—	—	—
22153639	2	—	—	—	—	—	—

VRL 编号	动物号 (样本号)	检测项目 Test Item/结果 Results					
Accession No	ID	SAUR	PAER	ECTO	TOXO Ab	HELM	FLAG
22153640	3	—	—	—	—	—	—
22153641	4	—	—	—	—	—	—
22153642	5	—	—	—	—	—	—
22153643	6	—	—	—	—	—	—

VRL 编号	动物号 (样本号)	检测项目 Test Item/结果 Results
Accession No	ID	CILI
22153638	1	—
22153639	2	—
22153640	3	—
22153641	4	—
22153642	5	—
22153643	6	—

\*\*\*\* 报告结束 END OF REPORT \*\*\*\*

备注: "\*"表示此检测项目不在我司CNAS认可范围之内。

Note: "\*" means that this test item is not within the scope of our CNAS approval.

### 名词释义 Glossary

缩写 Abbr.	中文名称 Chinese Name	英文名称 English Name
PCR	聚合酶链式反应	Polymerase Chain Reaction
CM	培养法	Culture Method
ELISA-IgG	酶联免疫吸附试验 (检测 IgG)	Enzyme-linked Immunosorbent Assay(IgG)
MT	镜检法	Microscopy Test
POS	阳性	Positive
NEG	阴性	Negative
IND	可疑	Indeterminate
PEN	待定	Pending
+	阳性	Positive
—	阴性	Negative
±	可疑	Indeterminate
?	待定	Pending
N/A	未提供	Not Available